

## Message

**From:** Bury, Carolyn [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=DE91ECB9B8C044A4BF4C350615AE3633-CBURY]  
**Sent:** 3/18/2019 1:01:40 PM  
**To:** Chris Parks [cparks@iwmconsult.com]  
**Subject:** RE: Confidential: Draft Results for PR #15

Thanks, Chris.

---

**From:** Chris Parks <cparks@iwmconsult.com>  
**Sent:** Monday, March 11, 2019 5:50 PM  
**To:** Bury, Carolyn <bury.carolyn@epa.gov>  
**Subject:** RE: Confidential: Draft Results for PR #15

Carolyn,

The attached draft figure shows the approximate locations of each well. Still need to have them surveyed in with precise locations, but this should give you a pretty close estimate of their locations.

Thanks,  
 Chris



Christopher D. Parks, LPG  
 Senior Project Manager  
 7428 Rockville Road  
 Indianapolis, IN 46214  
 Direct: (317) 968-9260  
 Mobile: (317) 847-2600  
 Office: (317) 347-1111 x 127  
 Fax: (317) 347-9326

---

**From:** Bury, Carolyn <bury.carolyn@epa.gov>  
**Sent:** Monday, March 11, 2019 12:55 PM  
**To:** Chris Parks <cparks@iwmconsult.com>  
**Cc:** Brad Gentry <bentry@iwmconsult.com>  
**Subject:** RE: Confidential: Draft Results for PR #15

So Duke was a backup all along or were two additional placed on the property?

---

**From:** Chris Parks <cparks@iwmconsult.com>  
**Sent:** Monday, March 11, 2019 11:43 AM  
**To:** Bury, Carolyn <bury.carolyn@epa.gov>  
**Subject:** Re: Confidential: Draft Results for PR #15

Yes, we put 2 on the Duke property.

Chris

Get Outlook for Android

---

**From:** Bury, Carolyn <[bury.carolyn@epa.gov](mailto:bury.carolyn@epa.gov)>  
**Sent:** Monday, March 11, 2019 12:11:57 PM  
**To:** Chris Parks  
**Subject:** RE: Confidential: Draft Results for PR #15

So were the sampling locations adjusted at Duke or were wells added to compensate for the private landowner who denied access?  
 Thx.

---

**From:** Chris Parks <[cparks@iwmconsult.com](mailto:cparks@iwmconsult.com)>  
**Sent:** Monday, March 11, 2019 10:48 AM  
**To:** Bury, Carolyn <[bury.carolyn@epa.gov](mailto:bury.carolyn@epa.gov)>  
**Subject:** Re: Confidential: Draft Results for PR #15

Yes, all groundwater sampling has been completed.

Get Outlook for Android

---

**From:** Bury, Carolyn <[bury.carolyn@epa.gov](mailto:bury.carolyn@epa.gov)>  
**Sent:** Monday, March 11, 2019 10:22:08 AM  
**To:** Chris Parks  
**Subject:** RE: Confidential: Draft Results for PR #15

Thanks Chris,  
 Do you know whether the GW sampling where you had access was completed last week?

---

**From:** Chris Parks <[cparks@iwmconsult.com](mailto:cparks@iwmconsult.com)>  
**Sent:** Monday, March 11, 2019 6:45 AM  
**To:** Bury, Carolyn <[bury.carolyn@epa.gov](mailto:bury.carolyn@epa.gov)>  
**Cc:** [jbian@amphenol-aao.com](mailto:jbian@amphenol-aao.com); Brad Gentry <[bgentry@iwmconsult.com](mailto:bgentry@iwmconsult.com)>; Neal, Conor <[Neal.Conor@epa.gov](mailto:Neal.Conor@epa.gov)>; Sundar, Bhooma <[sundar.bhooma@epa.gov](mailto:sundar.bhooma@epa.gov)>; Caudill, Motria <[caudill.motria@epa.gov](mailto:caudill.motria@epa.gov)>  
**Subject:** Confidential: Draft Results for PR #15

Carolyn,

Please see the attached draft results for the winter sampling event completed at PR #15.

Based on the results from the 2 sampling events completed at this residence, we would not recommend any additional activities related to PR #15 at this time.

Please let us know if you have any questions.

Sincerely,  
 Chris



Christopher D. Parks, LPG  
Senior Project Manager  
7428 Rockville Road  
Indianapolis, IN 46214  
Direct: (317) 968-9260  
Mobile: (317) 847-2600  
Office: (317) 347-1111 x 127  
Fax: (317) 347-9326